

United States Patent and Trademark Office

4/6

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/866,740	05/30/2001	Daping Chu	109678	5779	
25944 7	7590 08/02/2002				
OLIFF & BERRIDGE, PLC			EXAM	EXAMINER	
P.O. BOX 199 ALEXANDRI	-		MEDLEY,	MEDLEY, PETER M	
			ART UNIT	PAPER NUMBER	
			2834		
			DATE MAILED: 08/02/2002		

Please find below and/or attached an Office communication concerning this application or proceeding.

•	Application No.	Applicant(s)	V				
*	09/866,740	CHU, DAPING					
Office Action Summary	Examiner	Art Unit					
	Peter M Medley	2834					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status							
1) Responsive to communication(s) filed on	<u> </u>						
2a) ☐ This action is FINAL . 2b) ☑ Th	is action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims							
4) Claim(s) 1-10 is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-10</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers							
9) The specification is objected to by the Examiner.							
10)⊠ The drawing(s) filed on <u>30 May 2001</u> is/are: a)⊡ accepted or b)⊠ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12) The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a)⊠ All b)□ Some * c)□ None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
a) ☐ The translation of the foreign language provisional application has been received. 15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.							
Attachment(s)							
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 6	5) Notice of Informal I	/ (PTO-413) Paper No Patent Application (PT					
U.S. Patent and Trademark Office							

Application/Control Number: 09/866,740

Art Unit: 2834

DETAILED ACTION

Oath/Declaration

1. The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because:

It does not identify the citizenship of the inventor.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kaminski et al.

With respect to claims 1 and 6, the reference discloses piezoelectric layers **102**, **104**, and **106**.

The reference does not disclose the use of two types of materials.

The Examiner takes Official Notice that the properties of PZT, both ferroelectric and piezoelectric, would have been known to one of ordinary skill in the art.

It would have been well known in the art to PZT in the device of Kaminski et al for the purpose of utilizing it's well known properties. Application/Control Number: 09/866,740

Art Unit: 2834

With respect to claims 2 and 7, the reference does not show the same electrode arrangement.

The Examiner takes Official Notice that it would have been well known to use a common electrode for the purpose of reducing the number of parts and assembly steps.

It would have been obvious to use a common electrode for the for pairs of layers for the purpose of reducing the number of parts and assembly steps.

With respect to claims 3-5 and 8-10, no structural limitations have been added in these claims. See MPEP 2111.02.

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter M Medley whose telephone number is 703-305-0494. The examiner can normally be reached on Monday-Friday 8:00 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez can be reached on 703-308-1371. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-3432 for regular communications and 703-305-3432 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

JOSEPH WAKS PRIMARY EXAMINER

PM July 30, 2002